



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## TR60R 250V RK5 TD Fuse *Mersen Fuses*

|                  |  |
|------------------|--|
| Catalog Number   | TR60R  |
| Manufacturer     | Mersen Fuses   |
| Description      | Fuse TR-R - Class RK5 - Time-Delay 250VAC 250VDC 60A Ferrule Tri-Onic® |
| Weight per unit  | 0.1350 (lbs/each)  |
| Product Category | Current Limiting   |

### Features

|                   |           |
|-------------------|-----------|
| AC Voltage Rating | 250       |
| amperage rating   | 60        |
| class             | Class RK5 |
| connection        | Ferrule   |
| interrupt rating  | 200       |
| Voltage Rating    | 250       |

### Material, Color, and Finish

|               |          |
|---------------|----------|
| Body Material | PolyTube |
|---------------|----------|

### Dimensions and Weight

|      |          |
|------|----------|
| Size | 3 x 0.81 |
|------|----------|



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Descriptions

|                        |   |
|------------------------|---|
| Description            | 250V RK5 TD FUSE  |
| extra long description | Mersen TR60R Fuse TR-R - Class RK5  |
| Features               | Tri-Onic TR-R current-limiting time-delay fuses are engineered for overcurrent protection of motors, transformers, service entrance equipment, feeders and branch-circuits. The time-delay characteristics of the TR-R safely handle harmless starting currents and inrush currents associated with today's motors and transformers.  |
| Long Description       | Fuse TR-R - Class RK5 - Time-Delay 250VAC 250VDC 60A Ferrule Tri-Onic®  |
| Product Type           | Fuse TR-R - Class RK5 - Time-Delay 250VAC 250VDC 60A Ferrule  |
| Short Description      | 250V 60A 3x13/16 RK5 TD F   |
| Special Features       | Time-delay Current-limiting AC & DC rated Optional solid state SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog number for traceability and lasting identification Fiberglass body provides dimensional stability |

## Manufacturer Information

|                           |                |
|---------------------------|----------------|
| Brand                     | Mersen         |
| GTIN                      | 00782001747947 |
| Manufacturers Part Number | TR60R          |
| UPC                       | 782001747947   |

## Taxonomies, Classifications, and Categories

|      |           |
|------|-----------|
| Type | CLASS RK5 |
|------|-----------|

## Packaging

|                 |       |
|-----------------|-------|
| Carton          | 1     |
| Weight Per each | 0.135 |

## Uses, Certifications, and Standards

|             |  |
|-------------|--|
| Application | Motor circuits Mains Feeders Branch circuits Transformers<br>Service entrance equipment General-purpose equipment        |
| Mounting    | Clip   |
| standard    | UL listed to standard 248-12 File E2137 CSA certified to standard C22.2 no. 248.12 DC listed to UL standard 248 TRS only |