

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



TRS200R 600V 200A 9 5/8X1 13/16 TD Fuse

Mersen Fuses

Catalog Number	TRS200R
Manufacturer	Mersen Fuses
Description	Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Tri-Onic®
Weight per unit	1.6 (lbs/each)
Product Category	Current Limiting
Features	
AC Voltage Rating	600
amperage rating	200
class	Class RK5
connection	Blade
interrupt rating	200
Voltage Rating	600
Material, Color, and Finish	
Body Material	PolyTube
Dimensions and Weight	
Size	9.63 x 1.81



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

		•	
Descr	ınt	\mathbf{I}	nc
D C J C I			

characteristics of the TRS-R safely handle harmless starting currents and inrush currents associated with today's motors and transformers. Long Description Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Tri-Onic® Product Type Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Short Description 600V 200A 9 5/8x1 13/16 T Special Features Time-delay Current-limiting AC & DC rated Optional solid state SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog	Description	600V 200A 9 5/8X1 13/16 TD FUSE
for overcurrent protection of motors, transformers, service entrance equipment, feeders and branch-circuits. The time-delated characteristics of the TRS-R safely handle harmless starting currents and inrush currents associated with today's motors and transformers. Long Description Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Tri-Onic® Product Type Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Short Description 600V 200A 9 5/8x1 13/16 T Special Features Time-delay Current-limiting AC & DC rated Optional solid state SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog	extra long description	Mersen TRS200R Fuse TRS-R - Class R
Product Type Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Short Description 600V 200A 9 5/8x1 13/16 T Special Features Time-delay Current-limiting AC & DC rated Optional solid state SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog	Features	for overcurrent protection of motors, transformers, service entrance equipment, feeders and branch-circuits. The time-delay characteristics of the TRS-R safely handle harmless starting currents and inrush currents associated with today's motors and
Short Description 600V 200A 9 5/8x1 13/16 T Special Features Time-delay Current-limiting AC & DC rated Optional solid state SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog	Long Description	Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade Tri-Onic®
SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog	J .	Fuse TRS-R - Class RK5 - Time-Delay 600VAC 600VDC 200A Blade 600V 200A 9 5/8x1 13/16 T
provides dimensional stabili	Special Features	SmartSpot blown fuse indicator Time-delay for motor start-ups and transformer inrush currents without nuisance opening Current-limiting for low peak let-thru current Rejection-style design prevents replacement errors (when used with recommended fuse blocks) Easy-to-read label for quick brand recognition and replacement Metal-embossed date and catalog number for traceability and lasting identification Fiberglass body

Brand	Mersen
GTIN	00782001749187
Manufacturers Part Number	TRS200R
UPC	782001749187

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	CLASS RK5

Packaging

Carton	1
Weight Per each	1.563

Uses, Certifications, and Standards

Application .	Motor circuits Mains Feeders Branch circuits Transformers Service entrance equipment General-purpose equipment
Mounting	Clip
standard	UL listed to standard 248-12 File E2137 CSA certified to standard
	C22.2 no. 248.12 DC listed to UL standard 248 TRS only