



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## TWRSGF20V Gfci TWR Self Test Duplex 20A 125V Iv *Eaton Wiring Devices*

Catalog Number	TWRSGF20V
Manufacturer	Eaton Wiring Devices
Description	Self-Test Duplex Receptacle, 20 A, 125 V, 2 Poles, 3 Wires, Back and Side Wired Connection, Screw Mount, Ivory, Tamper Resistant, Weather Resistant
Weight per unit	0.3950 (lbs/each)
Product Category	Gen Purpose Recept & Surge Pro

### Features

amperage rating	20A
dimensions	2.2100 IN X 2.9100 IN X 4.5100 IN
media	Yes

### Descriptions

Description	GFCI TWR SELF TEST DUPLEX 20A 125V IV
extra long description	EWD TWRSGF20V GFCI TWR Self Test Du
Features	Tested to the highest standards to provide dependable, state-of-the-art protection suitable for residential, commercial, and industrial settings, Eaton's Ground Fault Circuit Interrupter (GFCI) receptacles are designed to recognize a ground fault in your wiring and immediately break the flow of electricity, thus protecting you from electrical shock. Additionally, they prevent resetting if, once tripped, the ground fault renders the device no longer functional. When combined with Eaton's Arc Fault Circuit I

### Manufacturer Information

GTIN	00032664743023
UPC	032664743023

### Taxonomies, Classifications, and Categories

Category Description	Residential GFCI devices
Type	GFCI receptacle

### Availability

Status	Inactive
--------	----------

### Packaging

Carton	1
Package	10
Weight Per each	0.395



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Uses, Certifications, and Standards

Application

Commercial / Institutional Buildings / Structures - Commercial /  
Institutional Buildings / Structures - Other

environmental conditions

Tamper and weather resistant

standard

cULus Listed