



Catalog Number: UC7636-YL-TGE-DES
Item Description: 20A 6T RT TS07-0105 PRWRD
UPC Code: 784572145788

Brand Name: Milbank
Type: Ringless Meter Socket
Application: Meter Socket
Standard: UL Listed
Voltage Rating: 600 Volts Alternating Current
Amperage Rating: 20 Continuous Ampere
Phase: 1 Phase
Frequency Rating: 60 Hertz
Number Of Cutouts: 0
Cable Entry: Overhead and Underground
Terminal: Single Mechanical Line Side and Single Mechanical Load Side
Mounting: Surface Mount
Enclosure: Type 3R, G90 Galvanized Steel with Powder Coat Finish



Additional Specifications: Number of Jaws:6 Terminal
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub

Utility requirements may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must always be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.



Catalog Number: UC7636-YL-TGE-DES
Item Description: 20A 6T RT TS07-0105 PRWRD
UPC Code: 784572145788

Brand Name: Milbank
Type: Ringless Meter Socket
Application: Meter Socket
Standard: UL Listed
Voltage Rating: 600 Volts Alternating Current
Amperage Rating: 20 Continuous Ampere
Phase: 1 Phase
Frequency Rating: 60 Hertz
Number Of Cutouts: 0
Cable Entry: Overhead and Underground
Terminal: Single Mechanical Line Side and Single Mechanical Load Side
Mounting: Surface Mount
Enclosure: Type 3R, G90 Galvanized Steel with Powder Coat Finish



Additional Specifications: Number of Jaws:6 Terminal
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub
Hub Opening and Closing Plates:1 1/4 Inch Hub

Utility requirements may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must always be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.