



At Acuity Brands®

we're expanding our Wafer™ family, so that you don't have to!

Juno® Wafer® LED Downlight 5CCT Switchable White Series

Available in Ultra-Thin Smooth and Regressed Baffle Style

- Features built-in switch for 5CCT adjustability
- Ultra-Thin style matches current Lithonia Lighting® Wafer and is available in 4", 6" and 8"
- Regressed Baffle style mimics typical recessed baffle trim and is available in 4" and 6"
- Uses the same template, extension cords, mounting pans and dedicated mounting accessories as our Lithonia 3CCT product offering



Juno 5CCT Regressed Wafer is available in 4" and 6"

Juno 5CCT Ultra-Thin Wafer is available in 4", 6" and 8"




5 Switchable White Color Temperatures Ranging from Warm White (2700K) to Daylight (5000K)

Lithonia Lighting® Wafer™ Family

Sizes ranging from 3" aperture to 8" aperture with various sizes available in switchable or static CCT, round, square, adjustable and MVOLT options

- WF3 27K, 30K and 40K (Static)
- WF3 Adjustable 30K (Static)
- WF4E and WF6E (Static)
- WF4 3CCT, WF6 3CCT, WF8 3CCT
- WF4 Adjustable 3CCT, WF6 Adjustable 3CCT
- WF4 Square 3CCT and WF6 Square 3CCT
- WF4 3CCT MVOLT, WF6 3CCT MVOLT, and WF8 3CCT MVOLT



Lithonia Lighting Adjustable Wafer is available in 3", 4" and 6" aperture



Lithonia Lighting MVOLT Wafer is available in 4", 6" and 8" aperture.





Wafer Product Portfolio



3-inch									
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage	
	STATIC	Lithonia	00191723480900	WF3 LED 27K MW M6	*261L7U	Round	540L	2700K	120V
	Lithonia	00889804672763	WF3 LED 30K MW M6	*236VG1	Round	550L	3000K	120V	
	Lithonia	00889804672794	WF3 LED 40K MW M6	*236VG4	Round	590L	4000K	120V	
	Lithonia	00191848033265	WF3 LED 27K MB M6	*263WW5	Round	540L	2700K	120V	
	Lithonia	00190887488296	WF3 LED 30K MB M6	*245JLY	Round	550L	3000K	120V	
	Lithonia	00190887488326	WF3 LED 40K MB M6	*245JM1	Round	590L	4000K	120V	
	Lithonia	00191848134238	WF3 LED 27K BN M6	*2500PR	Round	540L	2700K	120V	
	Lithonia	00190887488333	WF3 LED 30K BN M6	*245JM2	Round	550L	3000K	120V	
	Lithonia	00190887488340	WF3 LED 40K BN M6	*245JM3	Round	590L	4000K	120V	
	Lithonia	00193047121378	WF3 LED 27K ORB M6	*252PFM	Round	540L	2700K	120V	
	Lithonia	00190887488357	WF3 LED 30K ORB M6	*245JM4	Round	550L	3000K	120V	
	Lithonia	00190887488364	WF3 LED 40K ORB M6	*245JM5	Round	590L	4000K	120V	
	STATIC	Lithonia	00193047539814	WF3 ADJ LED 30K 90CRI MW M6	*254F1A	Adjustable	530L	3000K	120Vw
4-inch									
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage	
	5CCT	Juno	00194994243465	WF4 SWW5 90CRI MW M6	*2678S7	Round	670L	2700K, 3000K, 3500K, 4000K, 5000K	120V
	Juno	00194994243595	WF4 SWW5 90CRI MB M6	*2678SR	Round	620L	2700K, 3000K, 3500K, 4000K, 5000K	120V	
	5CCT	Juno	00194994158523	WF4 REG SWW5 90CRI MW M6	*266XH7	Round	650L	2700K, 3000K, 3500K, 4000K, 5000K	120V
	STATIC	Lithonia	00194994316787	WF4E LED 30K 90CRI MW M6	*267KYC	Round	580L	3000K	120V
	3CCT	Lithonia	00191848253403	WF4 LED 27K30K35K 90CRI MW M6	*264T2L	Round	750L	2700K, 3000K, 3500K	120V
	Lithonia	00191848253557	WF4 LED 30K40K50K 90CRI MW M6	*264T2W	Round	750L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848253427	WF4 LED 27K30K35K 90CRI MB M6	*264T2N	Round	750L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848253564	WF4 LED 30K40K50K 90CRI MB M6	*264T2X	Round	750L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848253465	WF4 LED 27K30K35K 90CRI BN M6	*264T2T	Round	750L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848253854	WF4 LED 30K40K50K 90CRI BN M6	*264T3G	Round	750L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848253458	WF4 LED 27K30K35K 90CRI ORB M6	*264T2R	Round	750L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848253830	WF4 LED 30K40K50K 90CRI ORB M6	*264T3E	Round	750L	3000K, 4000K, 5000K	120V	

Color Finishes: MW (Matte White), MB (Matte Black), BN (Brushed Nickel), ORB (Oil Rubbed Bronze)

Wafer Product Portfolio

4-inch, continued									
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage	
	3CCT	Lithonia	00191848255018	WF4 SQ B LED 27K30K35K 90CRI MW M6	*264T69	Square Baffle	560L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267356	WF4 SQ B LED 30K40K50K 90CRI MW M6	*264TY0	Square Baffle	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848255063	WF4 SQ B LED 27K30K35K 90CRI MB M6	*264T6F	Square Baffle	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848267417	WF4 SQ B LED 30K40K50K 90CRI MB M6	*264TY4	Square Baffle	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848255131	WF4 SQ B LED 27K30K35K 90CRI BN M6	*264T6M	Square Baffle	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848267479	WF4 SQ B LED 30K40K50K 90CRI BN M6	*264TY8	Square Baffle	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848255100	WF4 SQ B LED 27K30K35K 90CRI ORB M6	*264T6H	Square Baffle	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848267455	WF4 SQ B LED 30K40K50K 90CRI ORB M6	*264TY6	Square Baffle	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848254721	WF4 SQ S LED 27K30K35K 90CRI MW M6	*264T5N	Square Smooth	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848254950	WF4 SQ S LED 30K40K50K 90CRI MW M6	*264T63	Square Smooth	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848254783	WF4 SQ S LED 27K30K35K 90CRI MB M6	*264T5R	Square Smooth	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848254974	WF4 SQ S LED 30K40K50K 90CRI MB M6	*264T65	Square Smooth	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848254899	WF4 SQ S LED 27K30K35K 90CRI BN M6	*264T60	Square Smooth	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848255001	WF4 SQ S LED 30K40K50K 90CRI BN M6	*264T68	Square Smooth	560L	3000K, 4000K, 5000K	120V	
	Lithonia	00191848254868	WF4 SQ S LED 27K30K35K 90CRI ORB M6	*264T5X	Square Smooth	560L	2700K, 3000K, 3500K	120V	
	Lithonia	00191848254981	WF4 SQ S LED 30K40K50K 90CRI ORB M6	*264T66	Square Smooth	560L	3000K, 4000K, 5000K	120V	
		3CCT	Lithonia	00193047884679	WF4 LED 27K30K35K MVOLT 90CRI MW M6	*256K7H	Round	750L	2700K, 3000K, 3500K
Lithonia		00193047884693	WF4 LED 30K40K50K MVOLT 90CRI MW M6	*256K7L	Round	750L	2700K, 3000K, 3500K	120V-277V	
Lithonia		00194995968442	WF4 LED 27K30K35K MVOLT 90CRI MB M6	*274HH9	Round	750L	3000K, 4000K, 5000K	120V-277V	
Lithonia		00194994653462	WF4 LED 30K40K50K MVOLT 90CRI MB M6	*268XRP	Round	750L	2700K, 3000K, 3500K	120V-277V	
Lithonia		00191848415566	WF4 LED 27K30K35K MVOLT 90CRI BN M6	*272WFJ	Round	750L	3000K, 4000K, 5000K	120V-277V	
Lithonia		00194995968466	WF4 LED 30K40K50K MVOLT 90CRI BN M6	*274HHE	Round	750L	2700K, 3000K, 3500K	120V-277V	
Lithonia		00194995968503	WF4 LED 27K30K35K MVOLT 90CRI ORB M6	*274HHH	Round	750L	3000K, 4000K, 5000K	120V-277V	
Lithonia		00194994699675	WF4 LED 30K40K50K MVOLT 90CRI ORB M6	*2694GX	Round	750L	2700K, 3000K, 3500K	120V-277V	
	3CCT	Lithonia	00193047544832	WF4 ADJ LED 27K30K35K 90CRI MW M6	*254HKS	Adjustable	700L	2700K, 3000K, 3500K	120V
	Lithonia	00193047544955	WF4 ADJ LED 30K40K50K 90CRI MW M6	*254HLA	Adjustable	700L	3000K, 4000K, 5000K	120V	
	Lithonia	00193047545013	WF4 ADJ LED 30K40K50K 90CRI MB M6	*254HLL	Adjustable	700L	3000K, 4000K, 5000K	120V	

Wafer Product Portfolio

6-inch								
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage
 5CCT	Juno	00194994243731	WF6 SWW5 90CRI MW M6	*2678T5	Round	970L	2700K, 3000K, 3500K, 4000K, 5000K	120V
	Juno	00194994243809	WF6 SWW5 90CRI MB M6	*2678TF	Round	900L	2700K, 3000K, 3500K, 4000K, 5000K	120V
 5CCT	Juno	00194994158660	WF6 REG SWW5 90CRI MW M6	*266XHN	Round	950L	2700K, 3000K, 3500K, 4000K, 5000K	120V
 STATIC	Lithonia	00194994316817	WF6E LED 30K 90CRI MW M6	*267KYE	Round	790L	3000K	120V
 3CCT	Lithonia	00191848253861	WF6 LED 27K30K35K 90CRI MW M6	*264T3H	Round	1100L	2700K, 3000K, 3500K	120V
	Lithonia	00191848253946	WF6 LED 30K40K50K 90CRI MW M6	*264T3R	Round	1100L	3000K, 4000K, 5000K	120V
	Lithonia	00191848253892	WF6 LED 27K30K35K 90CRI MB M6	*264T3K	Round	1100L	2700K, 3000K, 3500K	120V
	Lithonia	00191848253953	WF6 LED 30K40K50K 90CRI MB M6	*264T3T	Round	1100L	3000K, 4000K, 5000K	120V
	Lithonia	00191848253922	WF6 LED 27K30K35K 90CRI BN M6	*264T3N	Round	1100L	2700K, 3000K, 3500K	120V
	Lithonia	00191848254295	WF6 LED 30K40K50K 90CRI BN M6	*264T4K	Round	1100L	3000K, 4000K, 5000K	120V
	Lithonia	00191848253915	WF6 LED 27K30K35K 90CRI ORB M6	*264T3M	Round	1100L	2700K, 3000K, 3500K	120V
	Lithonia	00191848254257	WF6 LED 30K40K50K 90CRI ORB M6	*264T4F	Round	1100L	3000K, 4000K, 5000K	120V
 3CCT	Lithonia	00191848267660	WF6 SQ B LED 27K30K35K 90CRI MW M6	*264TYP	Square Baffle	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267721	WF6 SQ B LED 30K40K50K 90CRI MW M6	*264TYX	Square Baffle	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267677	WF6 SQ B LED 27K30K35K 90CRI MB M6	*264TYR	Square Baffle	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267783	WF6 SQ B LED 30K40K50K 90CRI MB M6	*264TYY	Square Baffle	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267707	WF6 SQ B LED 27K30K35K 90CRI BN M6	*264TYV	Square Baffle	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267806	WF6 SQ B LED 30K40K50K 90CRI BN M6	*264U01	Square Baffle	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267684	WF6 SQ B LED 27K30K35K 90CRI ORB M6	*264TYT	Square Baffle	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267790	WF6 SQ B LED 30K40K50K 90CRI ORB M6	*264U00	Square Baffle	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267509	WF6 SQ S LED 27K30K35K 90CRI MW M6	*264TYC	Square Smooth	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267592	WF6 SQ S LED 30K40K50K 90CRI MW M6	*264TYK	Square Smooth	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267547	WF6 SQ S LED 27K30K35K 90CRI MB M6	*264TYE	Square Smooth	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267608	WF6 SQ S LED 30K40K50K 90CRI MB M6	*264TYL	Square Smooth	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267578	WF6 SQ S LED 27K30K35K 90CRI BN M6	*264TYG	Square Smooth	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267622	WF6 SQ S LED 30K40K50K 90CRI BN M6	*264TYN	Square Smooth	870L	3000K, 4000K, 5000K	120V
	Lithonia	00191848267554	WF6 SQ S LED 27K30K35K 90CRI ORB M6	*264TYF	Square Smooth	870L	2700K, 3000K, 3500K	120V
	Lithonia	00191848267615	WF6 SQ S LED 30K40K50K 90CRI ORB M6	*264TYM	Square Smooth	870L	3000K, 4000K, 5000K	120V

Wafer Product Portfolio

6-inch, continued								
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage
	Lithonia	00193047884709	WF6 LED 27K30K35K MVOLT 90CRI MW M6	*256K7N	Round	1100L	2700K, 3000K, 3500K	120V-277V
	Lithonia	00193047884716	WF6 LED 30K40K50K MVOLT 90CRI MW M6	*256K7P	Round	1100L	3000K, 4000K, 5000K	120V-277V
	Lithonia	00194995174423	WF6 LED 27K30K35K MVOLT 90CRI MB M6	*27139J	Round	1100L	2700K, 3000K, 3500K	120V-277V
	Lithonia	00194994117513	WF6 LED 30K40K50K MVOLT 90CRI MB M6	*266SLN	Round	1100L	3000K, 4000K, 5000K	120V-277V
	Lithonia	00194994653936	WF6 LED 27K30K35K MVOLT 90CRI BN M6	*268XTE	Round	1100L	2700K, 3000K, 3500K	120V-277V
	Lithonia	00194994653684	WF6 LED 30K40K50K MVOLT 90CRI BN M6	*268XSH	Round	1100L	3000K, 4000K, 5000K	120V-277V
	Lithonia	00194995967827	WF6 LED 27K30K35K MVOLT 90CRI ORB M6	*274HF6	Round	1100L	2700K, 3000K, 3500K	120V-277V
	Lithonia	00194995968107	WF6 LED 30K40K50K MVOLT 90CRI ORB M6	*274HG2	Round	1100L	3000K, 4000K, 5000K	120V-277V
	Lithonia	00193047545310	WF6 ADJ LED 27K30K35K 90CRI MW M6	*254HMK	Adjustable	970L	2700K, 3000K, 3500K	120V
	Lithonia	00193047545594	WF6 ADJ LED 30K40K50K 90CRI MW M6	*254HNNH	Adjustable	970L	3000K, 4000K, 5000K	120V
	Lithonia	00193047545624	WF6 ADJ LED 30K40K50K 90CRI MB M6	*254HNM	Adjustable	970L	3000K, 4000K, 5000K	120V
8-inch								
Aperture	Brand	UPC	Catalog Number	CI Code	Product Shape	Nominal Lumens	Color Temperature	Voltage
	Juno	00194994243915	WF8 SWW5 90CRI MW M6	*2678TV	Round	1640L	2700K, 3000K, 3500K, 4000K, 5000K	120V
	Lithonia	00191848254486	WF8 LED 27K30K35K 90CRI MW M6	*264T56	Round	1800L	2700K, 3000K, 3500K	120V
	Lithonia	00191848254653	WF8 LED 30K40K50K 90CRI MW M6	*264T5F	Round	1800L	3000K, 4000K, 5000K	120V
	Lithonia	00191848254486	WF8 LED 30K MVOLT 90CRI MW M6	*264RCT	Round	1800L	3000K	120V-277V
	Lithonia	00193047884778	WF8 LED 30K40K50K MVOLT 90CRI MW M6	*256K7U	Round	1800L	3000K, 4000K, 5000K	120V-277V