

# Specifications



Photo is representative



## Eaton XTOE020CCSS

Eaton C440 electronic overload relay, XT  
Electronic Overload Relay - IEC, 4-20A,  
Selectable 10A, Class 10 ,20, 30, 45mm frame

### General specifications

<b>PRODUCT NAME</b>	Eaton C440 electronic overload relay
<b>CATALOG NUMBER</b>	XTOE020CCSS
<b>UPC</b>	786685412481
<b>PRODUCT LENGTH/DEPTH</b>	4.32 in
<b>PRODUCT HEIGHT</b>	6.5 in
<b>PRODUCT WIDTH</b>	1.8 in
<b>PRODUCT WEIGHT</b>	0.87 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>COMPLIANCES</b>	CE Marked
<b>CERTIFICATIONS</b>	CSA Certified UL Listed

## Product specifications

<b>OVERLOAD RANGE</b>	4-20A
<b>TYPE</b>	Electronic overload relay
<b>FRAME SIZE</b>	45 mm
<b>MOUNTING METHOD</b>	Separate
<b>TRIP TYPE</b>	Selectable 10 A, class 10 ,20, 30

## Resources

<b>BROCHURES</b>	<a href="#">C440 Electronic Overload Relay</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - XTOE020CCSS</a>

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



### Eaton Corporation plc

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# Specifications



Photo is representative



## Eaton XTOE020CCSS

Eaton C440 electronic overload relay, XT  
Electronic Overload Relay - IEC, 4-20A,  
Selectable 10A, Class 10 ,20, 30, 45mm frame

### General specifications

<b>PRODUCT NAME</b>	Eaton C440 electronic overload relay
<b>CATALOG NUMBER</b>	XTOE020CCSS
<b>UPC</b>	786685412481
<b>PRODUCT LENGTH/DEPTH</b>	4.32 in
<b>PRODUCT HEIGHT</b>	6.5 in
<b>PRODUCT WIDTH</b>	1.8 in
<b>PRODUCT WEIGHT</b>	0.87 lb
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>COMPLIANCES</b>	CE Marked
<b>CERTIFICATIONS</b>	CSA Certified UL Listed

## Product specifications

<b>OVERLOAD RANGE</b>	4-20A
<b>TYPE</b>	Electronic overload relay
<b>FRAME SIZE</b>	45 mm
<b>MOUNTING METHOD</b>	Separate
<b>TRIP TYPE</b>	Selectable 10 A, class 10 ,20, 30

## Resources

<b>BROCHURES</b>	<a href="#">C440 Electronic Overload Relay</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - XTOE020CCSS</a>

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

