

Eaton XTOE020CCSS

Catalog Number: XTOE020CCSS

Eaton C440 electronic overload relay, XT Electronic Overload Relay - IEC, 4-20A, Selectable 10A, Class 10 ,20, 30, 45mm frame

General specifications



Product Name

Eaton C440 electronic overload relay

Catalog Number

XTOE020CCSS

UPC

786685412481

Product Length/Depth

4.32 in

Product Height

6.5 in

Product Width

1.8 in

Product Weight

0.87 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

CE Marked

Certifications

CSA Certified

UL Listed

defaultTaxonomyAttributeLabel

Overload range

4-20A

Type

Electronic overload relay

Frame size

45 mm

Mounting method

Separate

Trip type

Selectable 10 A, class 10 ,20, 30

Resources

Brochures

C440 Electronic Overload Relay

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTOE_C_SS AutoCAD 2D Footprint

XTOE_C_SS 3D Inventor

XTOE_C_SS 2D Drawing Xchange

XTOE_C_SS 3D Model Xchange

XTOE_C_SS AutoCAD 2D Footprint (mm)

XTOE_C_SS 2D PDF

Installation instructions

XTOE/ZEB IEC Electronic Overload - Self Powered

Specifications and datasheets

Eaton Specification Sheet - XTOE020CCSS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia

Eaton XTOE020CCSS

Catalog Number: XTOE020CCSS

Eaton C440 electronic overload relay, XT Electronic Overload Relay - IEC, 4-20A, Selectable 10A, Class 10 ,20, 30, 45mm frame

General specifications



Product Name

Eaton C440 electronic overload relay

Catalog Number

XTOE020CCSS

UPC

786685412481

Product Length/Depth

4.32 in

Product Height

6.5 in

Product Width

1.8 in

Product Weight

0.87 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

CE Marked

Certifications

CSA Certified

UL Listed

defaultTaxonomyAttributeLabel

Overload range

4-20A

Type

Electronic overload relay

Frame size

45 mm

Mounting method

Separate

Trip type

Selectable 10 A, class 10 ,20, 30

Resources

Brochures

C440 Electronic Overload Relay

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTOE_C_SS AutoCAD 2D Footprint

XTOE_C_SS 3D Inventor

XTOE_C_SS 2D Drawing Xchange

XTOE_C_SS 3D Model Xchange

XTOE_C_SS AutoCAD 2D Footprint (mm)

XTOE_C_SS 2D PDF

Installation instructions

XTOE/ZEB IEC Electronic Overload - Self Powered

Specifications and datasheets

Eaton Specification Sheet - XTOE020CCSS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia