

Eaton XTOE175GCS

Catalog Number: XTOE175GCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 35-175A overload range, 105 mm Frame size, NO-NC contact configuration, Selectable - 10A, 10, 20, 29 trip type



General specifications

Product Name	Catalog Number
Eaton C440 electronic overload relay	XTOE175GCS
UPC	Product Length/Depth
786685533346	9 in
Product Height	Product Width
10 in	13 in
Product Weight	Compliances
6 lb	RoHS Compliant
	ATEX Compliant
	CE Marked

Certifications

UL Listed
CSA Certified
EN 60947
IEC 60947

defaultTaxonomyAttributeLabel

Overload range

35-175A

Type

Electronic overload relay

Frame size

105 mm

Mounting method

Direct

Contact configuration

NO, NC

Trip type

Selectable 10 A, class 10 ,20, 30

Resources

Brochures

C440 Electronic Overload Relay

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTOE175G_S 3D Model Xchange

XTOE175G_S 2D Drawing Xchange

XTOE175G_S AutoCAD 2D Footprint (mm)

XTOE175G_S 2D PDF

XTOE175G_S AutoCAD 2D Footprint

XTOE175G_S 3D Inventor

Installation instructions

XTOE/ZEB IEC Electronic Overload - Self Powered

Specifications and datasheets

Eaton Specification Sheet - XTOE175GCS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia

Eaton XTOE175GCS

Catalog Number: XTOE175GCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 35-175A overload range, 105 mm Frame size, NO-NC contact configuration, Selectable - 10A, 10, 20, 29 trip type



General specifications

Product Name	Catalog Number
Eaton C440 electronic overload relay	XTOE175GCS
UPC	Product Length/Depth
786685533346	9 in
Product Height	Product Width
10 in	13 in
Product Weight	Compliances
6 lb	RoHS Compliant
	ATEX Compliant
	CE Marked
Certifications	
UL Listed	
CSA Certified	
EN 60947	
IEC 60947	

defaultTaxonomyAttributeLabel

Overload range

35-175A

Type

Electronic overload relay

Frame size

105 mm

Mounting method

Direct

Contact configuration

NO, NC

Trip type

Selectable 10 A, class 10 ,20, 30

Resources

Brochures

C440 Electronic Overload Relay

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTOE175G_S 3D Model Xchange

XTOE175G_S 2D Drawing Xchange

XTOE175G_S AutoCAD 2D Footprint (mm)

XTOE175G_S 2D PDF

XTOE175G_S AutoCAD 2D Footprint

XTOE175G_S 3D Inventor

Installation instructions

XTOE/ZEB IEC Electronic Overload - Self Powered

Specifications and datasheets

Eaton Specification Sheet - XTOE175GCS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia