

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Carton

Weight Per each

YGHP29C2 #2SOL TP #2SOL 32/17ST Burndy LLC

Catalog Number	YGHP29C2
Manufacturer	Burndy LLC
Description	Cu Compression Ground Rod Connector, #4 Sol - #2 STR, 1/2" - 5/8" Rod Dia.
Weight per unit	0.2700 (lbs/each)
Product Category	Large Terminals & Connectors
atures	
Die Index	997
Material	Copper
pallet quantity	7350
scriptions	
Description	#2SOL TP #2SOL 32/17ST
extra long description	BUR YGHP29C2 1/0-250 TO 4 SOL-2 STR
Long Description	Cu Compression Ground Rod Connector, #4 Sol - #2 Str, 1/2" - 5/8" Rod Dia.
Product Type	Compression
Special Features	Features: Irreversible Compression Ground Tap Can Be Used As Tap Connector Or As A Tap Splice Connector, Four Die Sets And Eight Connectors Can Accommodate A Conductor Range From # AWG Solid Through 500 KCMIL Plus 1/2 IN, 5/8 IN, And 3/4 IN Copper Bonded Ground Rods, UL467 Listed, Acceptable For Direct Burial In Earth And Concrete, Prefilled With PENETROX Compound And Strip Sealed, Conductor Type: Run: Commercial Stranded Copper, Rebar, Ground Rod, Tap: Commercial Strande Copper, Conductor Size (run -
anufacturer Information	
Brand	BURNDY
GTIN	00781810220924
Manufacturers Part Number	YGHP29C2
UPC	781810220924
xonomies, Classifications, and C	ategories
Type	Taps

0.27

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	For Direct Burial In Earth And Concrete
standard	Direct Burial